



Triton[®]

Affordable fine finish spray packages for wood and metal applications



PROVEN QUALITY. LEADING TECHNOLOGY.

Finally...a diaphragm spray package specifically design

TRITON SPRAY PACKAGES

Triton is an air-operated diaphragm spray package that applies a high quality, decorative finish to wood and metal parts. Triton is a more effective alternative to traditional pressure pots and standard diaphragm pumps.

Features

HIGH QUALITY FINISH

Low pulsation output and smooth pump changeover deliver a consistent spray pattern.

EASY-TO-USE

Quick color changes and fast material refills save time and money.

RUGGED CONSTRUCTION

Stainless steel or aluminum pump handles a wide variety of fluids.

Key Applications

Triton is designed for all types of metal and wood applications:

Applying primers, basecoats and topcoats for:

- General Metal Fabrication
- Farm and Construction
- Truck and Bus
- Automotive Components and Touch-up



Spraying stains, sealers, lacquers and topcoats for:

- Wood Furniture and Cabinetry
- Wood Windows and Doors
- Customized Wood



Using a wide range of technologies:

- Conventional
- HVLP
- Compliant
- Electrostatic Air Spray



ed for the finishing market

Best Spray Finishing Package in its Class!

Available with AirPro™ Spray Guns and PRO™ Xs Electrostatic Spray Guns

Triton Packages

Available with General Metal,
Wood or Waterborne AirPro Guns.

High-Flow Air Regulators

Supplies up to 35% extra air flow to
gun for superior atomization.

AirPro or PRO Xs Spray Gun

Superior finish quality for
conventional, HVLP and
compliant or electrostatic
applications.

Durable Metal Triton Pump

Provides low maintenance
and long life.

Easy-to-use Circulation Valve

Saves material and time during
flushing, priming and color changes.

Low Pulsation Triton Pump


Delivers a consistent spray pattern
and uniform film thickness.

Flexible, Lightweight Air Hose

Reduces operator fatigue.

Heavy-Duty Suction Performance

Sprays a wide variety of material viscosities.



Upgrade Your Pumps!

Upgrade Your Standard Diaphragm Pumps to Triton

High-Performance Finishing

LONGER PUMP LIFE

- Rugged stainless steel or aluminum construction requires less maintenance than a plastic pump
- Twice the output per stroke
- High output per stroke means less pump wear


EXTRA PUMPING POWER

- 30% more suction power than a standard diaphragm pump to handle higher viscosity materials

LOW PULSATION OUTPUT!


SUPERIOR FINISH QUALITY

- Consistent pattern and film on parts
- Constant flow to the spray gun



Triton pump provides 50% less pressure pulsation than standard diaphragm pumps.

Note: Pump-to-pump comparison without fluid regulator



Upgrade Your Pressure Pots and Cup Guns to Triton

Finishing Made Simple

- Refill and monitor material level while spraying for easier operation
- Complete color changes in less than 3 minutes for reduced downtime
- Circulation Valve saves time and lowers solvent usage during clean-up and color changes

PRO XS SPRAY GUN PACKAGES

Model No. 233743 with PRO Xs Gun shown



Product Information

Triton Spray Finishing Package Selection Guide

1. Select gun type
2. Select configuration
2. Select aluminum or stainless steel package
3. Select AirPro spray technology

AirPro Wood Application Packages		Aluminum Stainless Steel	Triton Package Part No.	5 Gallon Pail Mount	4 Legged Stand Mount	2 Wheel Cart Mount	Wall Mount	Fluid Regulator**	Suction Hose	Air Hose (25 ft, 7.6 m)	Fluid Hose (25 ft, 7.6 m)	Applicator Part No.	Applicator Description
•	289645	•						60	•	•	•	289110	AirPro HVLP Gun .040 in (1.0 mm) nozzle
•	289642	•						100	•	•	•	289110	AirPro HVLP Gun .040 in (1.0 mm) nozzle
•	289646	•						60	•	•	•	289111	AirPro Compliant Gun .040 in (1.0 mm) nozzle
•	289643	•						100	•	•	•	289111	AirPro Compliant Gun .040 in (1.0 mm) nozzle
•	289647	•							•	•	•	289109	AirPro Conventional Gun .040 in (1.0 mm) nozzle
•	289644	•							•	•	•	289109	AirPro Conventional Gun .040 in (1.0 mm) nozzle
•	289638			•				60	•	•	•	289110	AirPro HVLP Gun .040 in (1.0 mm) nozzle
•	289635			•				100	•	•	•	289110	AirPro HVLP Gun .040 in (1.0 mm) nozzle
•	289639			•				60	•	•	•	289111	AirPro Compliant Gun .040 in (1.0 mm) nozzle
•	289636			•				100	•	•	•	289110	AirPro Compliant Gun .040 in (1.0 mm) nozzle
•	289640			•					•	•	•	289109	AirPro Conventional Gun .040 in (1.0 mm) nozzle
•	289637			•					•	•	•	289109	AirPro Conventional Gun .040 in (1.0 mm) nozzle
•	289628				•			60	•	•	•	289110	AirPro HVLP Gun .040 in (1.0 mm) nozzle
•	289625				•			100	•	•	•	289110	AirPro HVLP Gun .040 in (1.0 mm) nozzle
•	289629				•			60	•	•	•	289111	AirPro Compliant Gun .040 in (1.0 mm) nozzle
•	289626				•			100	•	•	•	289111	AirPro Compliant Gun .040 in (1.0 mm) nozzle
•	289630				•				•	•	•	289109	AirPro Conventional Gun .040 in (1.0 mm) nozzle
•	289627				•				•	•	•	289109	AirPro Conventional Gun .040 in (1.0 mm) nozzle
AirPro General Metal Application Packages													
•	233468	•							•	•	•	288931	AirPro Conventional Gun .055 in (1.4 mm) nozzle
•	233469	•							•	•	•	288931	AirPro Conventional Gun .055 in (1.4 mm) nozzle
•	233470	•						60	•	•	•	288938	AirPro HVLP Gun .055 in (1.4 mm) nozzle
•	233471	•						100	•	•	•	288938	AirPro HVLP Gun .055 in (1.4 mm) nozzle
•	234911	•						60	•	•	•	288945	AirPro Compliant Gun .055 in (1.4 mm) nozzle
•	234912	•						100	•	•	•	288945	AirPro Compliant Gun .055 in (1.4 mm) nozzle
•	233475	•							•	•	•	288931	AirPro Conventional Gun .055 in (1.4 mm) nozzle
•	233476	•							•	•	•	288931	AirPro Conventional Gun .055 in (1.4 mm) nozzle
•	233477	•						60	•	•	•	288938	AirPro HVLP Gun .055 in (1.4 mm) nozzle
•	233478	•						100	•	•	•	288938	AirPro HVLP Gun .055 in (1.4 mm) nozzle
•	234913	•						60	•	•	•	288945	AirPro Compliant Gun .055 in (1.4 mm) nozzle
•	234914	•						100	•	•	•	288945	AirPro Compliant Gun .055 in (1.4 mm) nozzle
•	233482			•					•	•	•	288931	AirPro Conventional Gun .055 in (1.4 mm) nozzle
•	233483			•					•	•	•	288931	AirPro Conventional Gun .055 in (1.4 mm) nozzle
•	233484			•				60	•	•	•	288938	AirPro HVLP Gun .055 in (1.4 mm) nozzle
•	233485			•				100	•	•	•	288938	AirPro HVLP Gun .055 in (1.4 mm) nozzle
•	234915			•				60	•	•	•	288945	AirPro Compliant Gun .055 in (1.4 mm) nozzle
•	234916			•				100	•	•	•	288945	AirPro Compliant Gun .055 in (1.4 mm) nozzle
•	233489			•					•	•	•	288931	AirPro Conventional Gun .055 in (1.4 mm) nozzle
•	233490			•					•	•	•	288931	AirPro Conventional Gun .055 in (1.4 mm) nozzle
•	233491			•				60	•	•	•	288938	AirPro HVLP Gun .055 in (1.4 mm) nozzle
•	233492			•				100	•	•	•	288938	AirPro HVLP Gun .055 in (1.4 mm) nozzle
•	234917			•				60	•	•	•	288945	AirPro Compliant Gun .055 in (1.4 mm) nozzle
•	234918			•				100	•	•	•	288945	AirPro Compliant Gun .055 in (1.4 mm) nozzle

**HVLP, Compliant, PRO Xs2, Xs3 and Xs4 packages include fluid regulator:
 — Aluminum packages use 60 psi (0.4 MPa, 4 bar) acetel fluid regulator.
 — Stainless steel packages use 100 psi (0.7 MPa, 7 bar) stainless steel fluid regulator.

* Actual performance may vary, depending upon materials and processes. Consult your distributor.

Product Information

Triton Spray Finishing Package Selection Guide

1. Select gun type
2. Select configuration
2. Select aluminum or stainless steel package
3. Select AirPro spray technology



Stand Mount



Cart Mount



Pail Mount



Wall Mount

Siphon tube and pail ordered separately.

AirPro Waterborne Application Packages	Aluminum	Stainless Steel	Triton Package Part No.	5 Gallon Pail Mount	4 Legged Stand Mount	2 Wheel Cart Mount	Wall Mount	Fluid Regulator**	Suction Hose	Air Hose (25 ft, 7/8 in)	Fluid Hose (25 ft, 7/6 in)	Applicator Part No.	Applicator Description
			• 289632				• 100					• 288969	AirPro HVLG Gun .055 in (1.4 mm) nozzle
			• 289633				• 100					• 288972	AirPro Compliant Gun .055 in (1.4 mm) nozzle
			• 289634									• 288966	AirPro Conventional Gun .055 in (1.4 mm) nozzle
			• 289622				• 100					• 288969	AirPro HVLG Gun .055 in (1.4 mm) nozzle
			• 289623				• 100					• 288972	AirPro Compliant Gun .055 in (1.4 mm) nozzle
			• 289624									• 288966	AirPro Conventional Gun .055 in (1.4 mm) nozzle
Pro Xs Packages													
			• 233741				• 60					• 244399	PRO Xs2 Electrostatic Gun .055 in (1.4 mm) nozzle
			• 233742				• 60					• 244400	PRO Xs3 Standard Electrostatic Gun .055 in (1.4 mm) nozzle
			• 289648				• 60					• 244401	PRO Xs4 Standard Electrostatic Gun .055 in (1.4 mm) nozzle
			• 233743				• 60					• 244399	PRO Xs2 Electrostatic Gun .055 in (1.4 mm) nozzle
			• 233744				• 60					• 244400	PRO Xs3 Standard Electrostatic Gun .055 in (1.4 mm) nozzle
			• 289649				• 60					• 244401	PRO Xs4 Standard Electrostatic Gun .055 in (1.4 mm) nozzle
			• 233746				• 60					• 244399	PRO Xs2 Electrostatic Gun .055 in (1.4 mm) nozzle
			• 233747				• 60					• 244400	PRO Xs3 Standard Electrostatic Gun .055 in (1.4 mm) nozzle
			• 289641				• 60					• 244401	PRO Xs4 Standard Electrostatic Gun .055 in (1.4 mm) nozzle
			• 233748				• 60					• 244399	PRO Xs2 Electrostatic Gun .055 in (1.4 mm) nozzle
			• 233749				• 60					• 244400	PRO Xs3 Standard Electrostatic Gun .055 in (1.4 mm) nozzle
			• 289631				• 60					• 244401	PRO Xs4 Standard Electrostatic Gun .055 in (1.4 mm) nozzle
Bare Packages*													
			• 233466										None
			• 233467										None
			• 233473										None
			• 233474										None
			• 233480										None
			• 233481										None
			• 233487										None
			• 233488										None

*Bare packages do not include hose and gun.

**HVLG, Compliant, PRO Xs2, Xs3 and Xs4 packages include fluid regulator:

— Aluminum packages use 60 psi (0.4 MPa, 4 bar) acetel fluid regulator.

— Stainless steel packages use 100 psi (0.7 MPa, 7 bar) stainless steel fluid regulator.

Ordering Information and Accessories

Bare Triton Pumps

233500 Triton Pump, Aluminum
 233501 Triton Pump, Stainless Steel

Spray Guns

Refer to the following gun brochures for additional part numbers:
 AirPro Air Spray brochure, form #339377
 ProXs Electrostatic Gun brochure, form #300542

Accessory Air Bundled Hoses

For hose extensions or replacement (includes air and fluid hoses, bundled together).

233498 Air/Fluid Hose, 25 ft (7.6 m) Nickel Plated Steel Couplings, fits AirPro Spray guns
 233499 Air/Fluid Hose, 25 ft (7.6 m) Stainless Steel Couplings, fits AirPro Spray guns
 240425 Air/Fluid Hose, 25 ft (7.6 m), fits PRO Xs2, Xs3 and Xs4 guns

Air and Fluid Hoses

For hose extensions or replacement (separate air and fluid hoses)

244448 Air Hose, 25 ft (7.6 m), fits AirPro Spray guns
 215638 Air Hose, 50 ft (15.2 m), fits AirPro Spray guns
 223070 Air Hose, 25 ft (7.6 m) Grounded, fits PRO Xs2, Xs3 and Xs4 guns
 244447 Fluid Hose, 25 ft (7.6 m) Nickel Plated Steel Couplings, fits AirPro Spray guns
 235339 Fluid Hose, 25 ft (7.6 m) Stainless Steel Couplings, fits AirPro Spray guns
 210868 Fluid Hose, 50 ft (15.2 m), fits AirPro Spray guns
 215637 Fluid Hose, 25 ft (7.6 m), fits PRO Xs2, Xs3 and Xs4 guns

Suction Hoses

Order a suction hose (5 gal/18.9 l or 55 gal/200 l) for wall-mount applications.

245082 Aluminum, 4 ft (1.2 m), for 5 gal (18.9 l) pail
 245083 Stainless Steel, 4 ft (1.2 m), for 5 gal (18.9 l) pail
 245084 Aluminum, 6 ft (1.8 m), with acetal bung adapter for 55 gal (200 l) drum
 245085 Stainless Steel, 6 ft (1.8 m), with acetal bung adapter for 55 gal (200 l) drum

Fluid Regulators

Use in HVLP applications and where required fluid pressure to spray gun is less than 20 psi (1.4 bar, 0.14 MPa).

241976 Fluid Regulator, Acetal, 0-60 psi (0-4 bar, 0-0.4 MPa)
 236450 Fluid Regulator, Acetal, 20-100 psi (1.4-7 bar, 0.14-0.7 MPa)
 214706 Fluid Regulator, Stainless Steel, 5-100 psi (0.3-7 bar, 0.03-0.7 MPa)

Pump Outlet Fluid Filters

Filters attach to the outlet of the Triton pump.

114361 Fluid Filter, Nylon, 80 mesh, 3/8 npt(fbe), 150 psi (10 bar, 1 MPa)
 223160 Fluid Filter, Stainless Steel, 60 mesh (250 micron), 3/8 npt(f) inlet x 1/4 npt(m) outlet, 5000 psi (350 bar, 35 MPa)

Agitators

245081 SST Pail Agitator for Triton Packages

Technical Specifications

Maximum fluid working pressure 100 psi (0.7 MPa, 7 bar)
 Maximum air input pressure 100 psi (0.7 MPa, 7 bar)
 Maximum fluid flow (pump at 212 cpm) 8.5 gpm (32 lpm)
 Pump displacement 5 oz/cycle (160 cc/cycle)
 Air inlet fitting 1/4 npt(f)
 Acetal fluid regulator outlet fitting 3/8 npt(m)
 Stainless steel fluid regulator outlet fitting 3/8 npsm(m)
 Pump inlet 3/4 npt(f)
 Pump outlet 3/8 npt(f)
 Fluid outlet fitting 3/8 npt(m)

Average Air Consumption

	Conventional	Compliant	HVLP	Electrostatic
Gun:	14.0 scfm	12.0 scfm	15.0 scfm	20.0 scfm
Pump:	1.5 scfm	1.5 scfm	1.5 scfm	1.5 scfm
Total:	15.5 scfm	13.5 scfm	16.5 scfm	21.5 scfm

Sound data*

Sound pressure level at 40 psi (0.28 MPa, 2.8 bar) 69 dBa
 Sound power level at 40 psi (0.28 MPa, 2.8 bar) 81 dBA

*Sound pressure measured one meter from unit. Sound power measured per ISO standard 3744. Sound data is for Triton pump only, without spray gun. Refer to the spray gun instruction manual for gun sound data.

Weight

5 gal (18.9 l) pail package (Alum/SST) 22 lb (10 kg)/28 lb (12.7 kg)
 Stand package (Alum/SST) 20 lb (9.1 kg)/27 lb (12.3 kg)
 Cart package (Alum/SST) 30 lb (13.6 kg)/36 lb (16.4 kg)
 Wall mount package (Alum/SST) 19 lb (8.6 kg)/24 lb (10.9 kg)
 Pump instruction and part manual 309303
 Spray package instruction and parts manual 309304
 Spray package operation manual 309305
 Agitator kit instruction manual 309306



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612.623.6000
Fax: 612.623.6777

AMERICAS

MINNESOTA
Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM
European Headquarters
Graco N.V.
Industrieterrein - Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32.89.770.700
Fax: 32.89.770.777

ASIA PACIFIC

AUSTRALIA
Graco Australia Pty Ltd
Suite 17 2 Enterprise Drive
Bundoora Victoria 3083
Australia
Tel: 61 3 9467 8558
Fax: 61 3 9467 8559

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Room 118 1st Floor
No.2 Xin Yuan Building
No.509 Cao Bao Road
Shanghai, P.R. China 200233
Tel: 86.21.649.50088
Fax: 86.21.649.50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 103, Level 4, Augusta Point
Golf Course Road
Gurgaon, Haryana, India 122001
Tel: +91.124.435.4208
Fax: +91.124.435.4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81.45.593.7300
Fax: 81.45.593.7301

KOREA

Graco Korea Inc.
4th Floor Shinhan Bank Bldg.
#1599
Gwanyang-Dong, Dongan-Ku,
Anyang-Si, Korea
431-060
Tel: 82(Korea).31.476.9400
Fax: 82(Korea).31.476.9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

877.84GRACO (1-877-844-7226) or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Industrial Customer Service
800.328.0211
Fax 877.340.6427